ELSEVIER

Volumes 284–285, 15 September 1996

thin solid films

Contents

Preface xvii

Organization xviii

Round table

Supramolecular architecture and molecular bioelectronics 1
C. Nicolini (Genoa, Italy)

Invited and main lectures

Oriented thin films of a DNA-lipid complex 6
Y. Okahata, K. Tanaka (Yokohama, Japan)

Molecular recognition by molecular monolayers, bilayers, and films 9
T. Kunitake (Fukuoka, Japan)

Archaeal lipids: structural features and supramolecular organization 13
M.D. Rosa (Naples, Italy)

Use of planar lipid monolayers for 2D crystallisation of proteins and simple analysis of specific lipid–peptide interactions 18
R.H. Newman, P.S. Freemont (London, UK)

Monolayers at gas–liquid interfaces, monolayer transfer and LB film fabrication

Langmuir monolayer formation of metal complexes from polymerizable amphiphilic ligands 24
P.J. Werkman, A.J. Schouten (Groningen, The Netherlands)

Relation between three-dimensional phase behaviour and spreading properties of DMPC 27
P.B. Schneider, H.K. Cammenga (Braunschweig, Germany)

Incorporation of water molecules among the hydrophilic groups of film molecules by thermal treatment of monolayers on the water surface at certain high temperatures 32
T. Kato, Y. Shimizu, M. Kameyama, Y. Kimura (Utsunomiya, Japan), Y. Okahata (Yokohama, Japan)

Preparation and characterization of 14-[3,6-(didodecyl)-*N*-carbazolyl]tetradeca-10,12-diynoic acid LB multilayers 36
R. Pedriali, C. Cuniberti, D. Comoretto, G. Dellepiane, C. Dell'Erba, M. Novi (Genova, Italy), A. Bolognesi, G. Bajo, W. Porzio (Milano, Italy)

Crystallization in europium complex monolayers on a composite subphase 39
X. Gao, H.-G. Liu, R.-J. Zhang, K.-Z. Yang (Jinan, People's Republic of China)

A new method for uniform compressing of Langmuir monolayers 43
R. Zhu, Z. Lu, Y. Wei (Nanjing, China)

Characterisation of LB multilayers and ABABA alternate layer superlattices incorporating iridium alkoxystilbazoles 46
M.B. Greenwood, T. Richardson, D.W. Bruce (Sheffield, UK), D.M. Taylor (Bangor, UK), D. Lacey (Hull, UK), J. Yarwood (Sheffield, UK)

Langmuir–Blodgett films containing C_{60} and cadmium sulphide 49
C.T. Ewins, B. Stewart (Paisley, UK)

Transfer characteristics of Langmuir films of polymethacrylate with various side chains 53
Y.K. Kim, M.H. Sohn, B.C. Sohn, E. Kim (Seoul, South Korea), S.D. Jung (Taejon, South Korea)

Chirality effects on 2D phase transitions 56
E. Scalas, G. Brezesinski, H. Möhwald (Mainz, Germany), V.M. Kaganer (Moscow, Russia), W.G. Bouwman, K. Kjaer (Roskilde, Denmark)

Organization of a metal complex dyad in monolayers 62
H. Huesmann (Göttingen, Germany), C.A. Bignozzi, M.T. Indelli (Ferrara, Italy), L. Pavanin (Uberlandia, Brazil), M.A. Rampi (Ferrara, Italy), D. Möbius (Göttingen, Germany)

Elsevier Science S.A.

Molecular arrangement characteristics of a pyrrole-containing arachidic acid LB film 66
S.S. Shiratori, K. Yokoi, T. Nishikawa, N. Hirata, K. Ikezaki (Yokohama-shi, Japan), T. Moriizumi (Tokyo, Japan)

C-nitroso compounds as novel promising substances for the deposition of Langmuir–Blodgett films..... 69
R. Rella, A. Serra, G. Vasapollo, L. Valli (Lecce, Italy)

Structures and photoisomerization of the polyion complex Langmuir–Blodgett films of an amphiphile bearing two azobenzene units.. 73
H. Tachibana, R. Azumi, M. Tanaka, M. Matsumoto (Ibaraki, Japan), S. Sako, H. Sakai, M. Abe (Chiba, Japan), Y. Kondo, N. Yoshino (Tokyo, Japan)

Langmuir and Langmuir–Blodgett films of C_{60} derivatives..... 76
S. Ravaine, C. Mingotaud, P. Delhaès (Pessac, France)

Characterization of monolayers and LB films of octadecyltrialkoxysilanes 80
D.M. Taylor, S.K. Gupta (Bangor, UK), P. Dynarowicz (Krakow, Poland)

Domain pattern instability of a lipid monolayer induced by adsorption/desorption of a cyanine dye 85
A. Angelova, D. Vollhardt (Berlin, Germany), R. Ionov (Sofia, Bulgaria)

Surface properties of valine-gramicidin A at the air–water interface 90
D. Ducharme (Shawinigan, Qué., Canada), D. Vaknin (Ames, IA, USA), M. Paudler (Mainz, Germany), C. Salesse (Trois-Rivières, Qué., Canada), H. Riegler, H. Möhwald (Mainz, Germany)

A hybrid phthalocyanine/silicon field-effect transistor sensor for NO_2 94
P.S. Barker, M.C. Petty, A.P. Monkman (Durham, UK), J. McMurdo, M.J. Cook (Norwich, UK), R. Pride (Leicestershire, UK)

Toluene vapour sensing using copper and nickel phthalocyanine Langmuir–Blodgett films..... 98
C. Granito, J.N. Wilde, M.C. Petty (Durham, UK), S. Houghton, P.J. Iredale (Bishop's Stortford, UK)

Langmuir–Blodgett films of fullerene derivatives..... 102
D. Zhu, C. Zhu, Y. Xu, C. Long, Y. Liu, M. Han, Y. Yao, X. Zhao, X. Xia (Beijing, People's Republic of China)

Cluster growth with long-range interactions 106
G. Indiveri, A.C. Levi, A. Gliozzi (Genova, Italy), E. Scalas, H. Möhwald (Mainz, Germany)

The blooming transition in Langmuir monolayers and its microscopic origin..... 110
B. Fischer (Leipzig, Germany), M.-W. Tsao (Los Angeles, CA, USA), J. Ruiz-Garcia (San Luis Potosi, Mexico), Th.M. Fischer (Leipzig, Germany), D.K. Schwartz (Michigan, USA), C.M. Knobler (Los Angeles, CA, USA)

Adsorbability and structural characterization of Langmuir–Blodgett films of *N,N'*-ω-p-xylene-bis-[stearyldimethylammonium chloride] 115
M. Takahashi (Yokohama, Japan), K. Kobayashi, K. Takaoka (Tokyo, Japan), K. Tajima (Yokohama, Japan)

A method to identify the collapse of monolayers at the air–water interface 119
H. Wang, W. Li, H. Ding, Y. Zhang, S. Xi (Changchun, People's Republic of China)

Deposition of alternating LB monolayers with a new technique 122
V.I. Troitsky, T.S. Berzina, A. Petrigliano (Marciana LI, Italy), C. Nicolini (Genoa, Italy)

AFM studies on collapsing processes of a stearic acid monolayer Part I. Nucleation processes of a monolayer collapsing on the acidic subphase..... 127
Z. Lu, B. Zhang, Z. Ai, J. Huang (Nanjing, People's Republic of China), H. Nakahara (Urawa, Japan)

Characterization of monolayers and LB multilayers of dioctadecyldimethylammonium chloride..... 130
D.M. Taylor, Y. Dong (Bangor, UK), C.C. Jones (Bebington, UK)

Preparation and fluorescence properties of mixed J-aggregates of quinocyanine dyes 134
H. Ishizawa, T. Sato (Kyoto, Japan), M.I. Sluch, A.G. Vitukhnovsky (Moscow, Russia), Y. Yonezawa (Kyoto, Japan)

2,6-Dithienyl-substituted pyrylium salts as precursors of functionalized Langmuir films 138
M. Aiai, V. Gionis (Athens, Greece), B. Agricole, C. Mingotaud, P. Delhaes (Pessac, France), Y.J. Li, L. Shao, R.M. Leblanc (Coral Gables, FL, USA)

Monolayer properties of alkylammonium perfluorohexanoates 141
O. Shibata, Y. Moroi (Fukuoka, Japan), M. Saito (Yamaguchi, Japan), R. Matuura (Fukuoka, Japan)

Order in Langmuir–Blodgett films of lead and cadmium stearate: an X-ray diffraction study 144
A. Malik, M.K. Durbin, A.G. Richter (Evanston, IL, USA), K.G. Huang (Argonne, IL, USA), P. Dutta (Evanston, IL, USA)

Solid-on-solid model applied to surface pressure of binary surfactant mixtures spread at the air–water interface 147
M. Zinque, J. De Coninck (Mons, Belgium), A. Angelova (Sofia, Bulgaria)

Construction and use of LB deposition machines for pilot production 152
O. Albrecht, H. Matsuda, K. Eguchi, T. Nakagiri (Kanagawa, Japan)

Study of self-assembled monolayers of n-alkanethiol on a surface plasmon resonance fibre optic sensor 157
A. Abdelghani, J.M. Chovelon, J.M. Krafft, N. Jaffrezic-Renault (Ecully, France), A. Trouillet, C. Veillas, C. Ronot-Trioli, H. Gagnaire (Saint-Etienne, France)

Langmuir–Blodgett films containing water-soluble molecules: the methylene blue-dimyristoyl phosphatidic acid system 162
I. Prieto, A.J. Fernández, E. Muñoz, M.T. Martín, L. Camacho (Córdoba, Spain)

Ion binding and water entrainment in Langmuir–Blodgett films 166
S.J. Roser, M.R. Lovell (Bath, UK)

Langmuir–Blodgett films of a pyrrole derivative polymerized as a monolayer 170
C.A. Nicolae, M.P. Fontana (Parma, Italy), M. Lazzeri, G. Ruggeri (Pisa, Italy)

Photoresponsive behaviour of Langmuir–Blodgett films of azopoly-L-lisine 174
C. Tedeschi, M. Polli, M.P. Fontana (Parma, Italy), O. Pieroni (Pisa, Italy)

Characterization of Langmuir–Blodgett films of parent polyaniline 177
A. Riul, Jr., L.H.C. Mattoso, G.D. Telles, P.S.P. Herrmann, L.A. Colnago (São Carlos, SP, Brazil), N.A. Parizotto (São Carlos, Brazil), V. Baranauskas (Campinas, Brazil), R.M. Faria, O.N. Oliveira, Jr. (São Carlos, SP, Brazil)

Structural characterization of Langmuir–Blodgett films of nickel complexes with amphiphilic compounds 181
G. Caminati, D. Berti, G. Gabrielli (Firenze, Italy), S. Leporatti, R. Rolandi (Genova, Italy), M.G. Ponzi-Bossi, B. Yang (Ancona, Italy)

Ultra-thin films of poly(o-ethoxyaniline) formed from doped monolayers 187
S.V. Mello, L.H.C. Mattoso, O.N. Oliveira, Jr., R.M. Faria (São Carlos, SP, Brazil)

Langmuir–Blodgett films from lignins 191
C.J.L. Constantino, L.P. Juliani, V.R. Botaro, D.T. Balogh, M.R. Pereira, E.A. Ticianelli, A.A.S. Curvelo, O.N. Oliveira, Jr. (São Carlos, SP, Brazil)

Self-organization of single-chain fluorinated amphiphiles with fluorinated alcohols 195
F. Giulieri, M.P. Krafft (Nice, France)

Stabilization of water soluble surfactants at the air–water interface with Gegenion complexation 200
P. Stroeve, M.v. Os, R. Kunz (Davis, CA, USA), J.F. Rabolt (San José, CA, USA)

Langmuir–Blodgett films of mesogenic porphyrin derivatives 204
E. Sartori, M.P. Fontana, M. Costa, E. Dalcanale, V. Paganuzzi (Parma, Italy)

Comparative analysis of high energy electron diffraction patterns from LB films of Cd- and Pb-stearates 208
V. Klechkovskaya (Moscow, Russia), M. Anderle, R. Antolini, R. Canteri (Trento, Italy), L. Feigin, E. Rakova, N. Stiopina (Moscow, Russia)

Monolayer behaviour of chiral compounds at the air–water interface: 4-hexadecyloxy-butane-1,2-diol 211
R. Rietz, W. Rettig (Halle/S., Germany), G. Brezesinski (Berlin, Germany), W.G. Bouwman, K. Kjaer (Roskilde, Denmark), H. Möhwald (Berlin, Germany)

Self-organized systems including polymers and liquid crystals

Molecular order in self-assembled multilayers of stearic acid 216
A. Relini, R. Rolandi (Genova, Italy), F. Ciuchi, P. Mariani (Ancona, Italy)

Assembly of polyelectrolyte multilayer films by consecutively alternating adsorption of polynucleotides and polycations 220
G.B. Sukhorukov (Moscow, Russia), H. Möhwald (Berlin, Germany), G. Decher (Strasbourg, France), Y.M. Lvov (Moscow, Russia)

Conductive porphyrin films prepared by the self-assembly method 224
X.Q. Zhang, H.M. Wu, Z.H. Lu, X.Z. You (Nanjing, People's Republic of China)

Liquid crystalline behaviour of photochromic LB multilayer films 228
Th. Geue, U. Pietsch (Potsdam, Germany), J. Stumpe (Berlin, Germany)

NEXAFS investigations of highly-ordered ultrathin films of DME-DCNQI on Ag(111) 234
M. Bässler, R. Fink, C. Heske, J. Müller, P. Väterlein (Würzburg, Germany), J.U. Von Schütz (Stuttgart, Germany), E. Umbach (Würzburg, Germany)

Production and evolution of self-organized molecular films in mesogen/silicone oil systems 238
A. Adamczyk (Warsaw, Poland)

Assembly of modified CdS particles/cationic polymer based on electrostatic interactions 242
M. Gao, X. Zhang, B. Yang, F. Li, J. Shen (Changchun, People's Republic of China)

Construction and X-ray reflectivity study of self-assembled lysozyme/polyion multilayers 246
R. Kayushina (Moscow, Russia), Yu. Lvov (Fukuoka, Japan), N. Stepina, V. Belyaev, Yu. Khurgin (Moscow, Russia)

Substitution reactions on a block copolymer film tethered to a solid surface by epitaxy 249
M. Sano, M. Wada, A. Miyamoto, S. Yoshimura (Ibaraki, Japan)

Photo-orientation in amorphous and aligned films of photochromic liquid crystalline polymers 252
J. Stumpe, L. Läsker, Th. Fischer, M. Rutloh (Berlin, Germany), S. Kostromin (Moscow, Russia), R. Ruhmann (Berlin-Adlershof, Germany)

Command layers with high azimuthal anisotropy: static and dynamic behavior 257
M. Büchel (Mainz, Germany), C. Minx, H. Menzel (Hannover, Germany), D. Johannsmann (Mainz, Germany)

In-situ FTIR studies of the kinetics and self assembly of alkyl and perfluoroalkyl trichlorosilanes on silicon 261
R. Banga, J. Yarwood (Sheffield, UK), A.M. Morgan, B. Evans, J. Kells (Ormskirk, UK)

Electronic spectra of self-organized oligothiophene films with ''standing'' and ''lying'' molecular units 267
D. Oelkrug, H.-J. Egelhaaf, J. Haiber (Tübingen, Germany)

Self-ordering in ultrathin films of side-chain liquid-crystalline polymer 271
V.N. Bliznyuk, Z.I. Kazantseva (Kiev, Ukraine), A.H. Windle (Cambridge, UK)

Adsorption of organic monolayers on pyrite (FeS_2)(100) 275
H.-J. Himmel, M. Kaschke, P. Harder, Ch. Wöll (Heidelberg, Germany)

The conformational state and phase transition of polysilane in arachidic acid LB film matrix 281
T. Seki, K. Ichimura (Yokohama, Japan), A. Tohnai (Kitakyushu, Japan), M. Yoshida, A. Kaito (Ibaraki, Japan)

Functionalized phthalocyaninato-polysiloxanes in a Langmuir–Blodgett supramolecular architecture 284
M. Victoria Martínez-Díaz, A. Ruaudel-Teixier (Gif-sur-Yvette, France), T. Torres (Madrid, Spain)

Interfacial behaviour and mesomorphic properties of triazine-modified triphenylene oligomers 289
D. Janietz (Teltow, Germany), R. Festag, C. Schmidt, J.H. Wendorff (Marburg, Germany), V.V. Tsukruk (Kalamazoo, MI, USA)

Molecular orientation of a cyanobiphenyl liquid crystal in freely suspended films and at the air–water interface 293
C. Biensan, B. Desbat, J.M. Turlet (Talence, France)

Electropolymers based on diphenylamine Π-Stacking in cationic benzidine units 297
L. Wang, V. Cammarata (Auburn, AL, USA)

Amphotropic behaviour of a series of single-chain monoaza crown ethers 301
X. Qian, Z. Tai, S. Xiao, Z. Lu, Y. Wei (Nanjing, People's Republic of China)

Self-organization of amphiphilic *N*-acylated linear polyethyleneimines: investigation of a reversible monolayer collapse 304
M. Seitz, B. Struth, J.A. Preece, T. Plesnivy, G. Brezesinski, H. Ringsdorf (Mainz, Germany)

Odd–even effects in the optical properties of chiral triplet liquid crystals based on estradiol 308
A.T.M. Marcelis, A. Koudijs, E.J.R. Sudhölter (Wageningen, The Netherlands)

New ways for the preparation of LB multilayers of polymeric metal complexes 313
U. Oertel, J. Nagel (Dresden, Germany)

Photoinduced crosslinking of a liquid-crystalline monomer in thin films 317
V. Strehmel (Merseburg, Germany), B. Strehmel (Berlin, Germany)

Fluorescence probes for investigations of thermotropic guest–host systems 321
B. Strehmel, J. Haferkorn, J. Stumpe (Berlin, Germany)

Interaction of two lipid binding proteins with membrane lipids: comparative study using the monolayer technique and IR spectroscopy 326
M. Subirade (Québec, Canada), D. Marion (Nantes, France), M. Pézolet (Québec, Canada)

Highly ordered structure in polymerizable *N*-alkylacrylamide LB films 330
T. Miyashita, T. Suwa (Aoba-ku Sendai, Japan)

A new route to thin polymeric, non-centrosymmetric coatings 334
A. Laschewsky, B. Mayer, E. Wischerhoff, X. Arys, P. Bertrand, A. Delcorte, A. Jonas (Louvain-la-Neuve, Belgium)

Inter-layer coupling in freely suspended films of tilted smectic liquid-crystal phases 338
Ch. Bahr, C.J. Booth, D. Fliegner (Berlin, Germany), J.W. Goodby (Hull, UK)

Highly-ordered ultrathin films of quaterthiophene on a Ag(111) surface 343
A. Soukopp (Würzburg, Germany), C. Seidel, R. Li (Stuttgart, Germany), M. Bässler, M. Sokolowski, E. Umbach (Würzburg, Germany)

Dynamic processes, forces at surfaces (stability, lubrication, adhesion, melting)

On the origin of the long-range attraction between surface-confined DNA bases 347
R. Ionov, J. De Coninck, A. Angelova (Mons, Belgium)

Transport through ultrathin polyelectrolyte films 352
R.v. Klitzing (Mainz, Germany), H. Möhwald (Berlin, Germany)

Phospholipid monolayers and their dynamic interfacial behaviour studied by axisymmetric drop shape analysis 357
J. Li, R. Miller, H. Möhwald (Berlin-Adlershof, Germany)

Surface rheology of monolayers 361
J. Krägel (Potsdam, Germany), G. Kretzschmar, J.B. Li (Berlin, Germany), G. Loglio (Florence, Italy), R. Miller, H. Möhwald (Berlin, Germany)

Photomechanical behaviour of monolayers of azobenzene derivatives 365
T. Seki, K. Ichimura (Yokohama, Japan), R. Fukuda, T. Tamaki (Ibaraki, Japan)

Reorganization of metal stearate LB films studied by AFM and contact angle measurements 368
E. Györvary, J. Peltonen, M. Lindén, J.B. Rosenholm (Turku, Finland)

A theory of the bending moduli of thin membranes by a simple model 373
Y. Suezaki, H. Ichinose (Saga, Japan)

Modern methods of investigation (STM, AFM, X-ray, electron and neutron scattering, etc.)

A new correction factor to calculate the relative intensity of X-ray diffraction by LB films 377
B. Yang, Y. Qiao (Ancona, Italy)

In-situ and ex-situ structural analysis of phospholipid-supported planar bilayers using infrared spectroscopy and atomic force microscopy 381
S.M. Stephens, R.A. Dluhy (Athens, GA, USA)

The domain structure of LB multilayers prepared from fatty acid salts 387
U. Pietsch, T.A. Barberka, U. Englisch, R. Stömmer (Potsdam, Germany)

Ordering processes at the decanethiol/Au(111) interface 392
O. Cavalleri, A. Hirstein, J.-P. Bucher, K. Kern (Lausanne, Switzerland)

Formation of organic thin films at the liquid–solid interface studied by second harmonic spectroscopy 396
M. Buck, O. Dannenberger, J.J. Wolff (Heidelberg, Germany)

Comparison of isotherms measured using four different methods 400
O. Albrecht, H. Matsuda, K. Eguchi, T. Nakagiri (Kanagawa, Japan)

Chemical identification of differing amphiphiles in mixed Langmuir–Blodgett films by scanning surface potential microscopy 403
L.F. Chi, S. Jacobi, H. Fuchs (Münster, Germany)

Fabrication and structural characterization of Langmuir–Blodgett film of sodium 2-sulfonato-fatty acid higher alkyl esters 408
K. Kobayashi (Tokyo, Japan), M. Takahashi (Yokohama, Japan), M. Takasago, Y. Taru, K. Takaoka (Tokyo, Japan)

Microscopic ellipsometry: imaging monolayer on arbitrary reflecting supports 412
M. Harke, M. Stelzle, H.R. Motschmann (Berlin, Germany)

Attenuated total reflection properties and structures in squarylium LB films 417
F. Kaneko, S. Honda, T. Fukami, K. Kato (Niigata, Japan), T. Wakamatsu (Hitachinaka, Japan), K. Shinbo, S. Kobayashi (Niigata, Japan)

Attenuated total reflection properties and structures in spiropyran LB thin films 420
K. Kato, H. Saiki, H. Okuchi, F. Kaneko (Niigata, Japan), T. Wakamatsu (Hitachinaka, Japan), K. Shinbo, S. Kobayashi (Niigata, Japan)

Line tension and domain shapes in insoluble monolayers of fatty alcohols 424
S. Siegel, D. Vollhardt (Berlin, Germany)

In-situ investigation of partially deuterated fatty acid and phospholipid monolayers at the air–water interface by IR reflection–absorption spectroscopy 428
A. Gericke, J.W. Brauner (Newark, NJ, USA), R.K. Erukulla, R. Bittman (Flushing, NY, USA), R. Mendelsohn (Newark, NJ, USA)

Molecular packing in LB films of a new porphyrin investigated by atomic force microscopy 432
X. Qian, Z. Tai, X. Sun, S. Xiao, H. Wu, Z. Lu, Y. Wei (Nanjing, People's Republic of China)

Detection of phase transitions in thin films with a quartz crystal microbalance 436
F.J.B. Kremer, H. Ringsdorf, A. Schuster, M. Seitz, R. Weberskirch (Mainz, Germany)

Morphology and roughness of high-vacuum sublimed oligomer thin films 439
F. Biscarini, P. Samorí, A. Lauria, P. Ostoja, R. Zamboni, C. Taliani (Bologna, Italy), P. Viville, R. Lazzaroni, J.L. Brédas (Mons, Belgium)

Ellipsoid-like structures formed by atomic force microscopy in Langmuir–Blodgett films of PMMA 444
J.B. Peng, G.T. Barnes (Brisbane, Australia)

Polythiophene Langmuir–Blodgett films: how do they order? 450
M. Bardosova (Manchester, UK), B. Stiller (Teltow, Germany), R.H. Tredgold, M. Woolley, P. Hodge (Manchester, UK), L. Brehmer (Teltow, Germany)

Antiphase domains in Langmuir–Blodgett films 453
J. Reiche (Teltow, Germany)

Site determination of radioactive atoms from the interference effect of electron-capture rays: structural change of ^{111}In-labelled azobenzene derivative 456
Y.C. Sasaki, Y. Suzuki, K. Yasuda, Y. Tomioka, T. Ishibashi (Saitama, Japan), I. Satoh (Sendai, Japan)

Supramolecular ordering of bipolar lipids from Archaea in Langmuir–Blodgett films by low-angle X-ray diffraction 459
S. Dante (Ancona, Italy), M. De Rosa (Napoli, Italy), O. Francescangeli (Ancona, Italy), C. Nicolini (Genova, Italy), F. Rustichelli (Ancona, Italy), V.I. Troitsky (Marciana Marina Li, Italy)

Electric, dielectric, magnetic properties

Monolayers of 14-H-perfluorotetradecane-1-carbonic acid 464
I. Myagkov (Moscow, Russia), R. Antolini (Trento, Italy), L. Feigin (Moscow, Russia), S. Ferrari (Trento, Italy)

Ferroelectric polymer Langmuir films 469
L.M. Blinov, V.M. Fridkin, S.P. Palto, A.V. Sorokin, S.G. Yudin (Moscow, Russia)

Thickness dependence of switching for ferroelectric Langmuir films 474
L.M. Blinov, V.M. Fridkin, S.P. Palto, A.V. Sorokin, S.G. Yudin (Moscow, Russia)

Effect of an external electric field on charge transfer at a functional monolayer/n-Si(111) interface 477
J. Yang, W. Yang, Y. Bai, C. Shen, D. Wang, X. Chai, T. Li (Changchun, People's Republic of China), C. Li, A. Pan (Shanghai, People's Republic of China)

Transient photoelectric responses in C60 LB films 481
K. Saito, T. Wakamatsu, H. Yokoyama (Ibaraki, Japan)

Theory of two-dimensional liquid crystals—Influence of curvature, liquid-crystalline ordering and electromagnetic fields 484
C. Papenfuß, W. Muschik (Berlin, Germany)

Light-emitting diodes using quinquethiophene Langmuir–Blodgett films: Effect of electron-transporting layers 489
A.J. Pal, J. Paloheimo, H. Stubb (Åbo, Finland)

Comparative study on LB films and crystals of TTF derivatives with long alkyl chains: In-plane structure 492
H. Ohnuki, K. Kojima, M. Izumi (Tokyo, Japan), H. Yamaguchi, H. Oyanagi (Tsukuba, Japan), R. Kato (Tokyo, Japan)

Two-component Langmuir and Langmuir–Blodgett films containing monomeric and polymeric alkylheteroaromates: surface plasmon resonance and electrical conductivity 496
A. Chyla, S. Kucharski, R. Janik, J. Sworakowski, M. Bieńkowski (Wroclaw, Poland)

π–A isotherms and electrical properties of polyamic acid alkylamine salts (PAAS) Langmuir–Blodgett films 500
T.W. Kim, J.-S. Park, J.-S. Choi, D.-Y. Kang (Seoul, South Korea)

Changes in the ESR of the TCNQ columns caused by the photoisomerization of the azobenzene group in the APT LB films 505
K. Ikegami, S. Kuroda, H. Tachibana, M. Matsumoto (Tsukuba, Ibaraki, Japan)

Conductivity of floating monolayers based on BEDO-TTF charge transfer complex at the air–water interface 508
T. Nakamura (Sapporo, Japan), H. Isotalo (Espoo, Finland), T. Akutagawa (Sapporo, Japan), H. Tachibana, R. Azumi, M. Matsumoto (Tsukuba, Japan), S. Horiuchi, H. Yamochi, G. Saito (Kyoto, Japan)

Application of electrochemical techniques to the study of Langmuir–Blodgett films of *N*-octadecylpyridinium-Ni(dmit)$_2$ 512
L.M. Goldenberg (Chernogolovka, Moscow Region, Russia), A.P. Monkman, C. Pearson, J. Gibson, M.R. Bryce, M.C. Petty (Durham, UK)

A comparison of tetrathiafulvalene thin films prepared by thermal evaporation and the Langmuir–Blodgett technique 516
M. Kilitziraki, C. Pearson, A.S. Dhindsa, M.R. Bryce, M.C. Petty (Durham, UK)

An electrical model for two-dimensional layers of conductive polymers 520
B. Bianco, A. Bonfiglio (Genova, Italy)

Characterization of octadecylviologen-TCNQ Langmuir–Blodgett films 523
D.-M. Shin, K.-H. Choi, J.S. Park, J.S. Choi, D.-Y. Kang (Seoul, South Korea)

Synthesis of long alkyl chain substituted TTF and TCNQ derivatives and conductivities of their Langmuir–Blodgett films 526
Y. Liu, Y. Xu, D. Zhu (Beijing, People's Republic of China)

LB films of novel polyethers and their salt complexes 530
S.V. Batty, T. Richardson, F.B. Dias, J.P. Voss, P.V. Wright, G. Ungar (Sheffield, UK)

Langmuir–Blodgett films of three new biferrocene derivatives and their electrocatalysis 533
C.-R. Zhang, K.-Z. Yang, W.-R. Jin (Shandong, People's Republic of China)

Preparation and study on magnetic properties of LB films of 2-(4-(hexadecyloxy)phenyl)-4,4,5,5-tetramethyl-4,5-dihydro-1H- imidazolyl-1-oxyl 3-*N*-oxide 537
Y. Xu, D. Zhang, P. Zhang, Y. Liu, M. Han, D. Zhu (Beijing, People's Republic of China)

Surface treatment effect of ion irradiation on size-quantized semiconductor particles incorporated into LB films 541
K. Asai, T. Yamaki, S. Seki, K. Ishigure (Tokyo, Japan), H. Shibata (Ibaraki, Japan)

Temperature dependence of electrostatic phenomena at the electrode–polyimide LB film interface before and after photoirradiation ... 545
E. Itoh, Y. Niwa, M. Iwamoto (Tokyo, Japan)

Interfacial chemical reactions

Effect of water activity on unfolding of adsorbed protein at the interface 549
A. Shibata, Y. Iizuka, S. Ueno, T. Yamashita (Tokushima, Japan)

Polycondensation and conformation of amphiphilic aromatic amino acids in monolayers 552
M. Liu, H. Nakahara, Y. Shibasaki, K. Fukuda (Saitama, Japan)

Surface-assisted formation of anisotropic dye molecular films 557
K. Ichimura, M. Momose, K. Kudo, H. Akiyama (Yokohama, Japan), N. Ishizuki (Tokyo, Japan)

Effects of pH on Gegenion complex Langmuir–Blodgett films 561
P. Stroeve, M.J. Hwa (Davis, CA, USA)

Interactions between maleic acids copolymers and metal ions at the air–water interface and in the LB films 564
B.-J. Lee, G. Choi (Kimhae, South Korea), Y.-S. Kwon (Pusan, South Korea)

Photochemical studies of (aminoethylaminomethyl)phenethyltrimethoxysilane self-assembled monolayer films 568
W.J. Dressick, C.S. Dulcey, M.-S. Chen, J.M. Calvert (Washington, DC, USA)

Optical and spectroscopic properties

Spectroscopic investigation of molecular association in thin films of mesogenic cyanophenyl derivatives 573
T.I. Shabatina, T.V. Khasanova, E.V. Vovk, G.B. Sergeev (Moscow, Russia)

High-resolution optical spectra from ultrathin quaterthiophene films 576
W. Gebauer, C. Väterlein, A. Soukopp, M. Sokolowski, E. Umbach (Würzburg, Germany)

Temporal stability of vapor-deposited molecular films as studied by laser light scattering 581
D. Oelkrug, J. Haiber, R. Lege, H. Stauch, H.-J. Egelhaaf (Tübingen, Germany)

Maxwell displacement current across azobenzene polyimide multilayers caused by photoirradiation 585
W.-Y. Kim, M. Iwamoto (Tokyo, Japan)

Modification and photosensitization of hydrogenated amorphous silicon with a LB film of dipyridine derivatives 588
B. Wang, D. Wang, Y. Cao, X. Chai (Changchun, People's Republic of China), X. Geng (Tianjin, People's Republic of China), T. Li (Changchun, People's Republic of China)

Nanoparticulate TiO_2–stearate alternating multilayers deposited through the LB method 592
L. Li, Y. Chen, S. Kan, X. Zhang, X. Peng (Changchun, People's Republic of China), M. Liu (Guilin, People's Republic of China), T. Li (Changchun, People's Republic of China)

Photovoltaic properties of porphyrin solid films with electric-field induction 596
J. Zhang, D. Wang, T. Shi, B. Wang, J. Sun, T. Li (Changchun, People's Republic of China)

Cubic susceptibilities of polydiacetylene Langmuir–Blodgett films annealed before photopolymerization 600
S. Hara, T. Arise, R. Yamamoto (Tokyo, Japan), M. Uchimura, M. Sasabe (Narashino, Japan), H. Matsuda (Tsukuba, Japan), H. Nakanishi (Sendai, Japan)

Temperature-dependent FTIR study on self-assembly chiral liquid crystals through intermolecular hydrogen bonding 603
Y. Tian, X. Xu, Y. Zhao, X. Tang, T. Li, J. Sun (Changchun, People's Republic of China), C. Li, A. Pan (Shanghai, People's Republic of China)

Photo-orientation in LB multilayers of amphotropic polymers 606
J. Stumpe, Th. Geue, Th. Fischer (Berlin, Germany), H. Menzel (Hannover, Germany)

Phase measurement of second-harmonic generation reveals the directional sense of a 2-docosylamino-5-nitropyridine (DCANP) molecule in Langmuir–Blodgett films 612
K. Kajikawa, L.-M. Wang, T. Isoshima, T. Wada, W. Knoll, H. Sasabe (Saitama, Japan), S. Okada, H. Nakanishi (Sendai, Japan)

The stable radical in Langmuir–Blodgett films of a merocyanine dye 615
S. Kuroda, K. Murata, K. Ikegami (Ibaraki, Japan)

Excimer formation and excitation energy transfer in Langmuir–Blodgett films of cellulose derivatives containing carbazole 618
L. Mao, A.M. Ritcey (Laval, Qué., Canada)

Pyrene excimer formation in Langmuir–Blodgett films 622
M.I. Sluch, A.G. Vitukhnovsky (Moscow, Russia), M.C. Petty (Durham, UK)

Determination of bacteriorhodopsin orientation in monolayers by infrared spectroscopy 627
M. Méthot, F. Boucher, C. Salesse (Trois-Rivières, Qué., Canada), M. Subirade, M. Pézolet (Ste-Foy, Qué., Canada)

Raman spectroscopy of LB films and monolayers at the air–water interface 631
N. Castaings, D. Blaudez, B. Desbat, J.-M. Turlet (Talence, France)

Electrical properties of conductive Langmuir–Blodgett films comprised of head-to-tail poly(3-hexylthiophene) 636
M. Rikukawa, M. Nakagawa, K. Ishida, H. Abe, K. Sanui, N. Ogata (Tokyo, Japan)

Langmuir–Blodgett films of photochromic polyglutamates. Part 8. Structure of the monolayers at the air–water interface 640
H. Menzel, J.S. McBride, B. Weichart, M. Rüther (Hannover, Germany)

Electroluminescence from dysprosium- and neodymium-containing LB films 644
M.A. Pavier, M.S. Weaver, D. Lidzey, T. Richardson, T.M. Searle, D.D. C Bradley (Sheffield, UK), C.H. Huang, H. Li, D. Zhou (Beijing, People's Republic of China)

Optical properties of edge-linked polymer porphyrin LB films 648
M.B. Grieve, T. Richardson (Sheffield, UK), H.L. Anderson (Oxford, UK), D.D.C. Bradley (Sheffield, UK)

Photoelectrochemical characteristics of a self-assembled monolayer of porphyrin-mercaptoquinone coupling molecules 652
T. Kondo, T. Ito, S. Nomura, K. Uosaki (Sapporo, Japan)

EPR study of in-plane anisotropy in the LB films of a Cu(II)[tetra alkoxy carbonyl] phthalocyanine deposited on mylar sheets 656
L. Pasimeni (Padova, Italy), U. Segre (Modena, Italy), A. Toffoletti (Padova, Italy), L. Valli (Lecce, Italy), A. Marigo (Padova, Italy)

In-situ imaging of Langmuir monolayers by second-harmonic microscopy 659
M. Flörsheimer, C. Radüge, H. Salmen, M. Bösch, R. Terbrack, H. Fuchs (Münster, Germany)

Molecular recognition in organized molecular films

Enhanced binding of porphyrin by a laterally organized monolayer 663
M.T. Martin, D. Möbius (Göttingen, Germany)

Ionic selectivity of valinomycin in the dipalmitoylphosphatidylcholine monolayers 667
S.Yu. Zaitsev, V.P. Vereschetin, V.P. Zubov (Moscow, Russia), W. Zeiss, D. Möbius (Göttingen, Germany)

Langmuir films and Langmuir–Blodgett multilayers incorporating mechanically-threaded molecules—pseudorotaxanes 671
R.C. Ahuja, P.-L. Caruso, D. Möbius (Göttingen, Germany), D. Philp (Birmingham, UK), J.A. Preece, H. Ringsdorf (Mainz, Germany), J. Fraser Stoddart (Birmingham, UK), G. Wildburg (Mainz, Germany)

Morphology and binding of spontaneously assembled multilayers of calix-4-resorcinarenes 678
F. Davis, M. Gerber, N. Cowlam, C.J.M. Stirling (Sheffield, UK)

Ion-sensitive Langmuir–Blodgett films of a chromoionophore 683
I.K. Lednev, M.C. Petty (Durham, UK)

Selective inclusion of naphthalene derivatives by monolayers of amphiphilic cyclodextrins at the air–water interface 687
H. Nakahara, H. Tanaka, K. Fukuda (Urawa, Japan), M. Matsumoto (Tsukuba, Japan), W. Tagaki (Osaka, Japan)

Chiral crystal formation of octadecylcytosine monolayer by complementary base paring 691
M. Shimomura, F. Nakamura (Sapporo, Japan), K. Ijiro (Kawaguchi, Japan), H. Taketsuna, M. Tanaka, H. Nakamura, K. Hasebe (Sapporo, Japan)

The determination of the molecular order of chiral monolayers at the air–water interface by infrared reflection–absorption spectroscopy —A bridge between physico- and biochemistry 694
H. Hühnerfuss, A. Gericke, V. Neumann (Hamburg, Germany), K.J. Stine (St. Louis, MO, USA)

Langmuir films of Fc binding receptors engineered from protein A and protein G as a sublayer for immunoglobulin orientation 698
T. Dubrovsky, A. Tronin, S. Dubrovskaya, O. Guryev, C. Nicolini (Genoa Sestri Ponente, Italy)

Biological and biomimetic aspects of organized molecular films
– Artificial active molecular edificies
– Biomembranes (solvent-free bilayers, supported mono- and bilayers)
– Interactions of biological components with interfaces

Orientation of globular proteins adsorbed on solid substrates: an electron microscopic analysis 703
N. Braun, J. Tack, L. Bachmann, S. Weinkauf (Garching, Germany)

Gas transfer in supported films made by molecular self-assembly of ionic polymers 708
P. Stroeve, V. Vasquez, M.A.N. Coelho (Davis, CA, USA), J.F. Rabolt (San Jose, CA, USA)

Structure and permeation in gegenion complex Langmuir–Blodgett films..... 713
P.J. Bruinsma, P. Stroeve (Davis, CA, USA), C.L. Hoffmann, J.F. Rabolt (San Jose, CA, USA)

Vectorial PET in LB bilayers and in vesicles: nanosecond fluorescence and laser flash-photolysis investigation..... 718
G. Caminati, G. Gabrielli, R. Ricceri (Firenze, Italy), C. Turro, N.J. Turro (New York, USA)

Influence of alkyl length in the miscibility of several types of lecithins. Interaction of doxorubicin with these membrane models 723
M. Pujol, M.A. Alsina, V. Girona, J. Prat, F. Reig (Barcelona, Spain)

Biocatalysed hydrolysis of triglycerides in emulsion and as monolayers 727
E. Cernia, L. Battinelli, S. Soro (Rome, Italy)

Interaction of dibucaine with lipids in mixed Langmuir monolayers 731
A. Cavalli, G. Borissevitch, M. Tabak, O.N. Oliveira, Jr. (São Carlos, SP, Brazil)

Organization of monolayer-formed membranes made from archaeal ether lipids..... 735
L. Fittabile, M. Robello, A. Relini (Genova, Italy), M. De Rosa (Napoli, Italy), A. Gliozzi (Genova, Italy)

Properties of Langmuir–Blodgett films of rhodopsin 739
I.M. Pepe (Genova, Italy), L. Maxia (Marciana Li, Italy), C. Nicolini (Genova, Italy)

Study of the synergistic action of phospholipase A2 and melittin in the hydrolysis of phospholipid monolayers..... 743
M. Grandbois (Trois-Rivières, Québec, Canada), J. Dufourcq (Pessac, France), C. Salesse (Trois-Rivières, Québec, Canada)

Voltage gating of porin channels in lipid bilayers 748
C.M. Jones, D.M. Taylor (Bangor, UK)

Deposition and enzymatic activity of Langmuir–Blodgett films of alkaline phosphatase..... 752
A. Petrigliano (Genoa, Italy), A. Tronin (Marciana LI, Italy), C. Nicolini (Porto Ferraio LI, Italy)

Langmuir–Blodgett films composed of monolayers of amphiphilic molecules and adsorbed soluble proteins 757
T.S. Berzina, V.I. Troitsky, A. Petrigliano, D. Alliata (Marciana LI, Italy), A.Yu. Tronin, C. Nicolini (Genoa, Italy)

Interaction of La^{3+} and cholesterol with dipalmitoylphosphatidylglycerol bilayers by FT–Raman spectroscopy 762
X.-M. Li, B. Zhao, D.-Q. Zhao, J.-Z. Ni, Y. Wu, W.-Q. Xu (Changchun, People's Republic of China)

Scanning force microscopy investigation of amphiphilic cyclodextrin Langmuir–Blodgett films..... 765
S. Alexandre (Mont-Saint-Aignan, France), A.W. Coleman, A. Kasselouri (Lyon, France), J.M. Valleton (Mont-Saint-Aignan, France)

Highly fluorinated surfactants in liposome technology 769
S. Szönyi (Monaco, Principalité de Monaco), H.J. Watzke (Lausanne, Switzerland), A. Cambon (Nice, France)

The neuron–transistor junction: linking equivalent electric circuit models to microscopic descriptions..... 772
M. Bove, S. Martinoia, M. Grattarola, D. Ricci (Genoa, Italy)

Micrometre-scale bioluminescent enzyme photopatterning for bioelectronics applications 776
R.S. Chittock (Birmingham, UK), J. Cooper (Glasgow, UK), C.W. Wharton, N. Berovic, N.S. Parkinson, J.B. Jackson, T.D. Beynon (Birmingham, UK)

DNA monolayers complexed with amphiphilic intercalator at the air–water interface..... 780
K. Ijiro, M. Shimomura, M. Tanaka, H. Nakamura, K. Hasebe (Sapporo, Japan)

Behaviour of firefly luciferase associated with Langmuir–Blodgett films..... 784
L. Marron-Brignone, R.M. Morélis, L.J. Blum, P.R. Coulet (Villeurbanne, France)

A mini-trough for the study of membrane insertion ability of proteins..... 789
X.H. Han, S.F. Sui, F.Y. Yang (Beijing, People's Republic of China)

Specific interaction of rabbit C-reactive protein with phospholipid membranes 793
X. Caide, Z. Liu, Q. Gao, Q. Zhou, S. Sui (Beijing, People's Republic of China)

Molecular film assembly via layer-by-layer adsorption of oppositely charged macromolecules (linear polymer, protein and clay) and concanavalin A and glycogen 797
Y. Lvov, K. Ariga, I. Ichinose, T. Kunitake (Fukuoka, Japan)

Active penetration of charged peptides into monomolecular films of deep rough mutant lipopolysaccharide 802
C. Kahle, P.-J. Koch, W. Dürr, M. Kastowsky, H. Bradaczek (Berlin, Germany)

On the role of molecular close packing on the protein thermal stability 805
V. Erokhin, P. Facci (Genova, Italy), A. Kononenko (Moscow, Russia), G. Radicchi (Marciana, Italy), C. Nicolini (Genova, Italy)

Swelling of bilayer lipid membranes 809
R. Ionov, A. Angelova (Sofia, Bulgaria)

Nanostructure of supported phospholipid monolayers and bilayers by scanning probe microscopy 813
L.K. Tamm, C. Böhm, J. Yang, Z. Shao (Charlottesville, VA, USA), J. Hwang, M. Edidin (Baltimore, MD, USA), E. Betzig (New Jersey, USA)

Electrostriction of lipid bilayers on a solid support and peculiarity of membranes from Archaeal lipids 817
T. Hianik (Bratislava, Slovak Republic), M. Šnejdárková, M. Rehák (Ivanka pri Dunaji, Slovak Republic), V.I. Passechnik (Moscow, Russia), L. Sokolíková, B. Sivák (Bratislava, Slovak Republic), S.A. Ivanov (Moscow, Russia)

Channel-formation activity of the lantibiotic nisin on bilayer lipid membranes 822
A. Palmeri, I.M. Pepe, R. Rolandi (Genova, Italy)

Covalently attached polymer mono- and multilayers on silanized glass substrates 825
D. Beyer, W. Knoll, H. Ringsdorf (Mainz, Germany), G. Elender, E. Sackmann (Garching, München, Germany)

Specific photoresponse of DMPC liposomes doped with azobenzene derivative around the phase transition temperature 829
M. Tanaka, T. Sato, Y. Yonezawa (Kyoto, Japan)

Photochemical control of DC current across planar bilayer lipid membranes doped with azobenzene derivative 833
M. Tanaka, Y. Yonezawa, T. Sato (Kyoto, Japan)

Refractive index and layer thickness of an adsorbing protein as reporters of monolayer formation 836
R.G.C. Oudshoorn, R.P.H. Kooyman, J. Greve (Enschede, The Netherlands)

Surface activity of the insect defensin A and its interactions with lipids in mixed monolayers 841
R. Maget-Dana (Orléans, France), Ch. Hetru (UPR Strasbourg, France), M. Ptak (Orléans, France)

Flexoelectricity and photoflexoelectricity in model and biomembranes 845
A.G. Petrov, M. Spassova (Sofia, Bulgaria), J.H. Fendler (Syracuse, NY, USA)

Interfacial complexation of phospholipid Langmuir monolayers with water-soluble porphyrins and phthalocyanines: an X-ray reflectivity study 849
B.W. Gregory, D. Vaknin, T.M. Cotton, W.S. Struve (Ames, IA, USA)

Kinetics study of glutathione S-transferase Langmuir–Blodgett films 854
S. Paddeu (Genova Sestri Ponente, Italy), V. Erokhin (Porto Ferraio LI, Italy), C. Nicolini (Genova Sestri Ponente, Italy)

Applications of organized molecular films
– Bio- and chemical-sensors
– Molecular electronics
– Non-linear optics
– Selective membranes and liposomes

A novel amphiphilic ferrocene derivative containing a barbituric acid unit: synthesis and quadratic optical non-linearity 859
Y.-W. Cao, X.-D. Chai, W.-S. Yang, R. Lu, Y.-S. Jiang, T.-J. Li (Changchun, People's Republic of China), M. Blanchard-Desce, J.-M. Lehn (Paris, France)

The design and characteristics of a porphyrin LB film ChemFET gas sensor 863
C. Gu, L. Sun, T. Zhang, T. Li (Changchun, People's Republic of China)

Composite gas-separating membranes with polymerized LB films 866
A.V. Maximychev (Moscow, Russia), V.D. Matyukhin (Moscow region, Russia), N.D. Stepina, L.G. Yanusova (Moscow, Russia)

Characterization of novel copper phthalocyanine Langmuir–Blodgett films for NO_2 detection 870
R. Rella, A. Serra, P. Siciliano, A. Tepore, L. Troisi, L. Valli (Lecce, Italy)

Fabrication and properties of carboran clusters contained in stearic acid LB films and possible applications for single electron electronics 873
S.A. Iakovenko, A.S. Trifonov, E.S. Soldatov, V.V. Khanin, S.P. Gubin, G.B. Khomutov (Moscow, Russia)

Photoinduced electron transfer in a MIM device composed of TCNQ–pyrene–ferrocene LB films 876
J.-W. Choi, G.-Y. Jung, S.Y. Oh, W.H. Lee, D.M. Shin (Seoul, South Korea)

The fractal device – a novel circuit element based on organized molecular films 879
M. Sugi (Yokohama, Japan), K. Saito (Ibaraki, Japan)

Molecular interaction of DMMP and water vapor with mixed self-assembled monolayers studied by IR spectroscopy and SAW devices 882
L. Bertilsson, K. Potje-Kamloth, H.-D. Ließ (Neubiberg, Germany)

A.c. conductivity of gas-sensitive Langmuir–Blodgett films of ytterbium bisphthalocyanine 888
J. Souto, M.L. Rodríguez-Méndez, J. De Saja-González, J.A. De Saja (Valladolid, Spain)

Monoelectron phenomena in nanometer scale particles formed in LB films 891
V. Erokhin, P. Facci, S. Carrara, C. Nicolini (Genova, Italy)

Deposition, molecular organization and functional activity of IgG Langmuir films 894
A. Tronin, T. Dubrovsky, C. Nicolini (Genoa Sestri Ponente, Italy)

Bacteriorhodopsin thin film as a sensitive layer for an anaesthetic sensor 898
E. Maccioni, G. Radicchi (Genova, Italy), V. Erokhin (Marciana, Italy), S. Paddeu, P. Facci, C. Nicolini (Genova, Italy)

Electrical properties and electroluminescence of poly(p-phenylene vinylene) Langmuir–Blodgett film 901
A. Wu, T. Fujuwara, M. Jikei, M. Kakimoto, Y. Imai, T. Kubota, M. Iwamoto (Tokyo, Japan)

Atomic force microscopy and non-linear optical studies of stilbazolium dyes in Langmuir–Blodgett layers 904
U.-W. Grummt, K.-H. Feller, F. Lehmann, R. Colditz (Jena, Germany), R. Gadonas, A. Pugzlys (Vilnius, Lithuania)

Polypyrrole LB multilayer sensitive films for odorants 908
E. Milella, F. Musio, M.B. Alba (Brindisi, Italy)

Chlorine sensing properties of porphyrin thin films 911
V.C. Smith, S.V. Batty, T. Richardson (Sheffield, UK), K.A. Foster (Tonbridge, UK), R.A.W. Johnstone (Liverpool, UK), A.J.F.N. Sobral, A.M.d. Rocha Gonsalves (Coimbra, Portugal)

Optimisation of the pyroelectric figure of merit of polysiloxane/amine superlattices 915
R. Capan, S.V. Batty, T. Richardson (Sheffield, UK), D. Lacey (Hull, UK), S.J. Holder (Canterbury, UK), W.H.A. Majid (Kuala Lumpur, Malaysia)

Novel superstructures for the enhancement of temperature-dependent polarisation in LB films 919
S.V. Batty, R. Capan, T. Richardson (Sheffield, UK), T.E. Mann, D. Lacey (Hull, UK)

Layer formation of a lipid-tagged single-chain antibody and the interaction with antigen 924
I. Vikholm (Tampere, Finland), J. Peltonen (Turku, Finland)

Optical gas sensing using thin organic films 927
L.S. Miller, A.M. McRoberts, D.J. Walton, I.R. Peterson, D.A. Parry, C.G.D. Sykesud, A.L. Newton (Coventry, UK), B.D. Powell (Slough OHB, UK), C.A. Jasper (Loughborough, UK)

On electron transfer in Langmuir–Blodgett films 932
V.V. Egorov (Moscow, Russia)

Transient photoinduced voltage in hetero-structured polyimide Langmuir–Blodgett films 936
M. Iwamoto, X. Xu (Tokyo, Japan)

Capacitive sensor for lipolytic enzymes 939
V.M. Mirsky, C. Krause, K.D. Heckmann (Regensburg, Germany)

Authos Index of Volume 284–285 943

Subject Index of Volume 284–285 947

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.